


1 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005


FIG. 1



2 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005


FIG. 2



3 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005


FIG. 3



4 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005


FIG. 4



5 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005


FIG. 5



6 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005

FIG. 6



10/552132

7 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005

FIG. 7






FIG. 8



9 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005

FIG. 9



10 / 11

PCT/KR2004/001183

RO/KR 04.04.2005

FIG. 10

420

610

3D Structure						
Zone Name	Material	Thickness	Mask	Positive or Negative	Taper Angle	Smoothing
Glass_CF	Glass	10.0um	-	-	-	NO
Common	ITO	0.1um	Mask1	Positive	-	NO
Oxide	Oxide	0.1um	-	-	-	NO
LC	LC	5.0um	-	-	-	NO
Oxide	Oxide	0.1um	-	-	-	NO
Pixel	ITO	0.1um	Mask2	Positive	70.0	YES
Glass_TFT	Glass	10.0um	-	-	-	NO

▲

▼

Insert 620 Delete 630 Generate 640 Open 650 Save 660

11 / 11

PCT/KR2004/001183  
RO/KR 04.04.2005

FIG. 11

